


## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



6257



**HARDY PERENNIALS**

**WHOLESALE**

**HAMMONTON HARDY PLANT NURSERY**

**HAMMONTON**

**NEW JERSEY**

**FALL 1924**

CECIL DAVIES.

WM. P. SANDBERGEN.

JOHN E. OUDSHOORN.

## INTRODUCTION.

---

Few developments have been more important in recent years, to the horticultural trade, than that of Hardy Herbaceous Plants. Their adaptability to various forms of garden decoration, their great variety in color, height, time of flowering and value for cutting present a new conception of the beautiful and practical; and they have attained recognition as an indispensable element in every well ordered garden.

Having confidence in their great and ever widening popularity, we are devoting ourselves exclusively to their propagation and culture. Our business is entirely wholesale and we solicit inquiries from all branches of the trade. By careful attention to every detail we give you absolute assurance of satisfaction, no matter how exacting your requirements may be.

The descriptions in this catalogue are taken from plants when in flower and great pains have been taken to make them accurate and dependable.

## TERMS

Accounts are due in thirty days; cash or satisfactory references are required from unknown correspondents.

Prices in this catalogue include packing.

## HARDY PERENNIALS

---

		Per Doz. - Per 100
<b>ACHILLEA</b>		
<b>filipendulina.</b> A strong growing plant with fern-like foliage, bearing large flat heads of yellow flowers. 4 ft. July-August.	2.00	12.00
<b>Ptarmica Boule de Nieve.</b> This and the following are among the most valuable of hardy plants for cutting. If they are cut hard back after the first flowers are past, a second crop will be produced in early fall. Sprays of small double white flowers. 12 to 18 inches. June-September.	1.50	10.00
" <b>The Pearl.</b> A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September.	1.50	10.00
<b>tomentosa.</b> A dwarf rock plant with heads of yellow flowers. 6 inches. June.	1.50	10.00
<b>AETHIONEMA (Lebanon Candytuft).</b> A family of rare and beautiful, dwarf sub-shrubs thriving in sunny, well drained positions on the rock garden.		
<b>coridifolium.</b> A trailing species bearing heads of bright pink flowers. 9 inches. April-May.	3.00	20.00
<b>grandiflorum.</b> A dainty and beautiful rock plant. It forms a compact bush and is covered in July with pink flowers borne in racemes. 1 ft.	3.00	20.00
<b>iberideum.</b> Trailing habit, white flowers and gray foliage. 6 inches. April-May.	2.50	15.00
<b>AGROSTEMMA</b>		
<b>coronaria.</b> Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July.	1.25	8.00
" <b>alba.</b> A white variety of the preceding.	1.25	8.00

	Per Doz.	Per 100
<b>AJUGA genevensis.</b> Short spikes of intense blue flowers. A good rock plant. 6 inches. June.	1.50	10.00
<b>ALYSSUM</b>		
<b>argenteum.</b> Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.	1.50	10.00
<b>saxatile citrinum.</b> A rare sulphur colored variety of the well known Gold Dust.	2.50	15.00
" <b>compactum.</b> (Gold Dust) Masses of yellow flowers in April and May. 1 ft.	1.25	8.00
<b>ANCHUSA italica Opal.</b> Tall spikes of pale blue flowers, resembling giant forget-me-nots. 4 ft. June-July.	2.00	12.00
<b>ANEMONE</b>		
<b>Pulsatilla.</b> Large cup shaped flowers covered on the outside with silky hairs, borne singly on stems 1 foot high. April-May.	1.50	10.00
" <b>rubra.</b> A new and rare form of the preceding.	1.50	10.00
<b>ANTHEMIS tinctoria Kelwayi.</b> Bright yellow Marguerite-like flowers in great profusion. 2 ft. June-September.	1.25	8.00
<b>AQUILEGIA</b>		
<b>chrysantha.</b> A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
<b>nivea grandiflora.</b> Large pure white flowers; robust habit. 2½ ft. May-June.	1.25	8.00
<b>ARABIS</b>		
<b>alpina.</b> A useful early flowering plant suitable for rock garden, border, or for spring bedding. White. 9 inches. April-May.	1.50	10.00
" <b>fl. pl.</b> A double flowered variety of the preceding, and a much superior plant, as it does not produce seed it has a much longer flowering period. It will stand gentle forcing and is valuable as a cut flower.	2.00	12.00
<b>ARENARIA</b>		
<b>laricifolia.</b> White flowers freely borne on wiry stems. 6 inches. May-June.	2.00	12.00
<b>montana.</b> A trailing rock plant which becomes entirely covered in May with large, glistening white flowers.	2.00	12.00

	Per Doz.	Per 100
<b>ARMERIA</b>		
<b>maritima Lauchiana.</b> Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. A second crop of flowers sometimes borne in early fall.	1.25	8.00
<b>ARTEMISIA lactiflora.</b> Fragrant Spiraea-like plumes of creamy white flowers are borne on stout erect stems from August to October. 5-6 ft.	1.50	10.00
<b>ASCLEPIAS tuberosa.</b> (Butterfly Silk Weed) Bright orange red flowers borne in clusters on strong stems. 2½ ft. July-September.	1.50	10.00
<b>ASTER.</b> (Michaelmas Daisy. Starwort) As a plant of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.		
<b>Climax.</b> A universal favorite. If given good treatment the flowers attain to three inches in diameter, they are pale mauve with yellow centers, and are borne on long slender stems. 5 to 6 ft. September-October.	1.50	10.00
<b>Feltham Blue.</b> Large clear blue flowers. 4 ft. September.	1.50	10.00
<b>John Wood.</b> One of the oldest and still one of the best. The flowers open very pale mauve and turn pure white with age. 3½ ft. September	1.50	10.00
<b>Maggie Perry.</b> Soft pink flowers borne in immense trusses. 4 to 5 ft. September-October.	2.50	15.00
<b>Perry's White.</b> A very free flowering variety of graceful habit. The flowers are large and of good substance. Excellent for cutting. 4 to 5 ft. September-October.	2.00	12.00
<b>St. Egwyn.</b> This variety forms a compact, symmetrical bush, and during September is entirely covered with large clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.50	10.00
<b>Well's White.</b> Stout erect stems bearing a profusion of medium size flowers, creamy white in color. 4 ft. August-September.	1.50	10.00

Per Doz. - Per 100

**ASTER (continued)**

<b>White Climax.</b> A pure white variety of Climax.	2.00	12.00
<b>N. A. Lil Fardel.</b> Large clear pink flowers. 3 ft. September-October.	1.50	10.00

**ASTER, DWARF ALPINE**

<b>alpinus.</b> Large bluish purple flowers. 9 inches. May-June.	1.50	10.00
“ <b>albus.</b> A white variety of the foregoing.	1.50	10.00
<b>subcoeruleus.</b> Large violet-purple flowers freely borne on slender erect stems. 1 ft. June-July.	1.50	10.00

<b>AUBRIETIA deltoidea.</b> Raised from seed of named varieties of this species; various shades of pink and lavender. 6 inches. April-May.	2.00	12.00
--	------	-------

<b>BAPTISIA australis.</b> (False Indigo) A first rate border plant bearing sprays of dark indigo blue, lupine like flowers. The longer this plant re- mains undisturbed the more effective it becomes 2½ ft. June-July.	1.50	10.00
--	------	-------

<b>BOCCONIA cordata.</b> A tall growing stately plant with handsome gray, glaucous foliage bearing pan- icles of creamy white flowers. 7 to 8 ft. July- August.	1.50	10.00
--	------	-------

**BOLTONIA**

<b>latisquama.</b> A tall aster-like plant bearing delicate pink flowers. Good for cutting. 5 to 6 ft. September.	1.50	10.00
“ <b>nana.</b> A somewhat uncommon plant whose beauty and usefulness are not sufficiently known. It forms a compact bush 3 feet in height, and in September is smothered with dainty pink flowers.	2.00	12.00

<b>BUPTHALMUM salicifolium.</b> A compact growing plant covered in July with large yellow flowers which are good for cutting. 2 ft.	1.50	10.00
---	------	-------

<b>CALAMINTHA alpina.</b> A little known but extremely beautiful rock plant. It has a prostrate habit and in June and July is entirely covered with clusters of violet-purple flowers.	1.50	10.00
---	------	-------



Per Doz. - Per 100

<b>CAMPANULA (Bellflower, Hairbell)</b> One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border, and woodland.		
<b>alliariaefolia.</b> Creamy white flowers. 2 ft. June.	1.50	10.00
<b>bononiensis.</b> Small blue flowers profusely borne on numerous slender, raceful stems. 2½ ft. June-July.	2.00	12.00
<b>carpatica.</b> Suitable for rock garden or border. Large blue, cup shaped flowers during July and August. 1 ft.	1.50	10.00
“ <b>alba.</b> A white variety of the preceding.	1.50	10.00
<b>glomerata.</b> Clusters of tubular, violet-purple flowers borne on stout erect stems. 1½ ft. June-July.	2.00	12.00
<b>grandis alba.</b> Compact tufts of rich green foliage and stems 2 to 3 feet high studded with white saucer shaped flowers. June-July.	2.00	12.00
<b>lactiflora.</b> A free flowering border plant with much branched stems and pyramidal heads of clear lavender blue flowers. 4 ft. July.	1.50	10.00
<b>macrantha.</b> A vigorous grower 5 feet high, the stems terminating in clusters of large, deep blue flowers. July.	1.50	10.00
<b>Medium.</b> (Canterbury Bell) Blue, pink, white, separate.	1.00	7.00
“ <b>calycanthemea.</b> (Cup and Saucer) Mixed colors.	1.00	7.00
<b>persicifolia.</b> Slender erect stems studded with blue, cup shaped flowers in June and July. 2½ ft.	1.50	10.00
“ <b>alba.</b> A white variety of the above.	1.50	10.00
<b>pyramidalis alba.</b> The white variety of the well known chimney campanula.	1.50	10.00
<b>Raddeana.</b> A rare and distinct species bearing deep purple bells on thin wiry stems. 9 inches. June-July.	2.50	15.00
<b>CARYOPTERIS mastacanthus.</b> (Blue Spiraea) A compact free flowering plant of sub-shrubby habit; trusses of lavender flowers during August and September. 2 to 3 ft.	1.50	10.00

	Per Doz. - Per 100	
<b>CASSIA marylandica.</b> (Indian Senna) Clusters of yellow pea shaped flowers. 5 to 6 ft. July-September.	1.50	10.00
<b>CATANANCHE coerulea.</b> A free flowering old fashioned plant; blue flowers which last well when cut. 1½ ft. June-August.	1.25	8.00
<b>CENTAUREA</b>		
<b>dealbata.</b> Handsome deeply cut foliage, white on the under side; rose pink flowers. 2 ft. July-September.	1.50	10.00
<b>macrocephala.</b> A stately plant of robust habit, bearing large globular heads of golden yellow flowers. 4 to 5 ft. July-August.	1.50	10.00
<b>montana</b> Woolly foliage and bright blue flowers. 1½ ft. June-July.	1.50	10.00
“ <b>alba</b> A white variety of the preceding.	1.50	10.00
<b>ruthenica.</b> Finely divided leaves and golden yellow flowers borne on slender, graceful stems. 3 ft. July.	1.50	10.00
<b>CEPHALARIA tartarica.</b> A tall Scabiosa-like plant bearing large golden yellow flowers on long stems. 4 to 5 ft. July-August.	1.50	10.00
<b>CERASTIUM tomentosum.</b> Forms a carpet of silvery foliage, covered in May and June with pure white flowers.	1.50	10.00
<b>CHELONE Lyoni.</b> A very free flowering plant bearing large deep pink Pentstemon-like flowers on sturdy erect stems. 2 ft. July-September.	1.50	10.00
<b>CHRYSANTHEMUM</b>		
<b>maximum.</b> (Shasta Daisy) A useful plant for cutting the large white daisy-like flowers are produced over a long period. 2 ft. June-Sept.	1.25	8.00
<b>uliginosum.</b> White flowers with green centers, on long straight stems. Good for cutting. 4 to 5 ft. August-September.	1.50	10.00
<b>COREOPSIS grandiflora.</b> One of the best hardy plant for cutting; bright yellow flowers are borne on long graceful stems throughout the summer. 2½ ft.	1.00	7.00
<b>CRUCIANELLA stylosa.</b> A useful trailing plant for the rock garden bearing clusters of pink flowers. June-July.	1.50	10.00

	Per Doz.	Per 100
<b>DELPHINIUM</b>		
<b>Belladonna.</b> An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½ to 3 ft.	1.25	8.00
<b>formosum.</b> A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June September.	1.50	10.00
<b>grandiflorum.</b> (chinense) Gentian-blue flowers and finely divided foliage. 1½ to 2 ft. June-October.	1.25	8.00
“ <b>album.</b> A white variety of the above.	1.25	8.00
<b>Mixed Hybrids.</b> This mixture can be relied on to produce a large percentage of extremely good individuals, and is much superior to the ordinary mixed strain of Delphiniums.	2.00	12.00
<b>DIANTHUS</b>		
<b>alpinus.</b> A lovely dwarf Alpine with large deep pink flowers borne close down to the foliage, which they entirely hide. 4 inches. May-June.	3.00	
<b>arenarius.</b> A choice species for the rock garden with deeply fringed, fragrant, white flowers. 6 inches. May-June.	2.50	15.00
<b>caesius.</b> (Cheddar Pink) Blue gray cushions of foliage and rosy pink, fragrant flowers.	2.50	15.00
<b>deltoides.</b> (Maiden Pink) A trailing rock plant also useful for border edging. June-July.	1.50	10.00
“ <b>albus</b> A white variety of the foregoing.	1.50	10.00
“ <b>Brilliant.</b> A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage.	1.50	10.00
<b>neglectus.</b> A choice and beautiful Alpine; bright carmine flowers with a buff reverse. 6 inches. June-July.	3.00	20.00
<b>plumarius.</b> A first rate mixture, beautifully frilled flowers. 1 ft. June-July.	1.25	8.00
<b>DIELYTRA formosa.</b> Dainty fern-like foliage and pink lyre shape flowers. 1 ft. May-August.	1.50	10.00
<b>DIGITALIS (Foxglove)</b>		
<b>gloxinaeflora.</b> Pink, purple, white, separate.	1.00	7.00
“ <b>The Shirley.</b> A new strain raised by the Rev. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose.	1.50	10.00

Per Doz. - Per 100

<b>DORONICUM caucasicum.</b> A plant that has become scarce the last few years. Large, bright yellow, Daisy-like flowers are abundantly produced in early spring, and under favorable conditions, at intervals throughout the summer. 1½ ft.	3.00	20.00
<b>DRACHOCEPHALUM Ruyschianum.</b> One of the showiest of spring flowering plants and one we highly recommend to those seeking something unusual. It forms a clump of many stems, each stem being thickly covered during May with purplish blue, tubular flowers. 1 to 1½ ft.	2.00	12.00
<b>ECHINACEA purpurea.</b> (Purple Coneflower) Large pinkish purple flowers. 4 to 5 ft. July-August.	1.50	10.00
<b>ECHINOPS (Globe Thistle)</b>		
<b>Ritro.</b> A strong plant with handsome foliage, bearing globular heads of glistening blue flowers. 4 ft. July-August.	1.50	10.00
<b>ruthenicus.</b> Heads of blue flowers on branching stems. 4 ft. July-August.	1.50	10.00
<b>sphaerocephalus.</b> Heads of whitish flowers. 6 ft. August.	1.50	10.00
<b>ERIGERON</b>		
<b>glaucus.</b> Violet blue flowers. 1 ft. May-June.	1.25	8.00
<b>speciosus.</b> A free flowering and rigorous growing plant bearing medium size, purplish lilac flowers. First rate for cutting. 2½ ft. July-August.	1.50	10.00
<b>ERINUS</b>		
<b>alpinus.</b> Pretty rosettes of foliage and racemes of rosy purple flowers. A first rate rock plant and also invaluable for establishing on old walls or between steps. 6 inches. May-June.	2.50	
“ <b>albus.</b> A white variety of the foregoing.	2.50	
<b>ERIOPHYLLUM caespitosum.</b> A good plant for a dry position on rock graden. Bright yellow flowers and gray foliage. 9 inches. June-July.	2.50	15.00
<b>ERYNGIUM (Sea Holly)</b>		
<b>planum.</b> Small blue flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July-August.	1.50	10.00

Per Doz. - Per 100

**EUPATORIUM**

<b>coelestinum.</b> Very free flowering and valuable for cutting. Masses of blue, ageratum-like flowers from August to October. 1½ to 2 ft.	1.50	10.00
<b>Fraseri.</b> Feathery white flowers. July-September.	1.50	10.00

**EUPHORBIA**

<b>corollata.</b> The value of this plant for cutting is not fully appreciated. It is well adapted for shipping, and its small pure white flowers take the place of <i>Gypsophila paniculata</i> when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September.	1.50	10.00
<b>polychroma.</b> A conspicuous object in early spring. It has a bushy, much branched habit, each branch bearing a head of bright yellow bracts. 2 ft. April.	1.50	10.00
<b>FUNKIA undulata variegata.</b> Creamy white and green variegated leaves. 9 inches.	1.50	10.00
<b>GAILLARDIA grandiflora.</b> Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivalled. 2 ft. June-October.	1.00	7.00

**GALEGA**

<b>officinalis.</b> Clusters of fragrant, bluish liliac flowers. An excellent plant for the retail florist, but the flowers will not stand shipping. 2½ ft. June-July.	1.50	10.00
“ <b>alba.</b> A white variety of the above.	1.50	10.00

**GERANIUM**

<b>sanguineum.</b> Forms a thick mass of prostrate, wiry stems, and bears a profusion of saucer shaped, blood, red flowers. 1 ft. June-July.	2.00	12.00
“ <b>alba.</b> A white variety of the preceding.	2.00	

**GEUM**

<b>Lady Stratheden.</b> A new variety similar in habit and growth to the well known <i>Geum Mrs. Bradshaw</i> , bearing large, old gold, double flowers. 2 ft. May-June.	2.00	12.00
--	------	-------

Per Doz. - Per 100

**GEUM (continued)**

**Mrs. Bradshaw.** One of the most striking of hardy plants. Slender, branching stems are produced from tufts of handsome green foliage, and bear large rich scarlet, double flowers in great profusion. A good plant for cutting. 2 ft. May-June. 1.50 10.00

**GLOBULARIA tricosantha.** (Globe Daisy) A low growing rock plant, bearing globular heads of pale blue flowers arising from tufts of shiny green foliage. 6 inches. May-June. 1.50 10.00

**GYPSOPHILA**

**paniculata.** Cloud-like masses of small white flowers. One of the most popular plants for cutting. 2 ft. July. 1.25 8.00

**repens.** A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July. 1.50 10.00

**HELENIUM**

**autumnale Riverton Beauty.** Clear yellow flowers with black centers. 4 ft. August-September. 1.50 10.00

“ **superbum** Yellow. 4 ft. August-September. 1.50 10.00

**Hoopesii.** Large heads of deep yellow flowers. 2 ft. June-July. 1.50 10.00

**HELIANTHEMUM (Rock Rose)** Dwarf evergreen shrubs forming compact bushes. The flowers are single and double and very varied in color and resemble miniature roses.

**Fireball.** Brilliant scarlet, single. 9 inches. June. 2.00 12.00

**Macranthum.** Large creamy white. 6 inches. June. 2.00 12.00

**Mrs. Earle.** Double scarlet. 9 inches. June. 2.00 12.00

**Praecox.** Large, soft yellow, single flowers. Silvery foliage. 1 ft. June. 2.00 12.00

**Rhodanthe Carneum.** Very large, soft pink, single flowers. Silvery foliage. 1 ft. June. 2.00 12.00

**HELIOPSIS Pitcheriana.** Golden yellow flowers all summer. 3 ft. 1.50 10.00

**HEUCHERA Choice Hybrids.** A mixed strain varying from white to crimson, furnishing numerous striking hues of color. 2 ft. June-July. 2.00 12.00

**HIBISCUS (Mallow)**

**Marvel Mallows.** Pink, red, white, crimson eye, mixed. 1.50 10.00

Per Doz. - Per 100

**HIERACIUM**

<b>aurantiacum.</b> A dwarf rock or border plant bearing large heads of rich orange colored flowers. Good for cutting. 1½ ft. May-June.	1.50	10.00
<b>villosum.</b> Gray foliage covered with down, bright yellow flowers. 1 ft. June.	1.50	10.00

**HOLLYHOCK**

Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain, and may confidently be relied upon to come true to color.

<b>Double Varieties.</b> Apple Blossoms, Bright Rose, Cerise, Crimson, Newport Pink, Salmon Rose, White, Yellow.	1.00	7.00
<b>Single Mixed.</b>	1.00	7.00

<b>HYPERICUM olympicum.</b> A rare rock plant, gray foliage and very large deep yellow flowers. June-July. 9 inches.	3.00	20.00
--	------	-------

**IBERIS (Candytuft)**

<b>sempervirens.</b> An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 inches. April-May.	1.50	10.00
“ <b>Little Gem.</b> A miniature variety of the above.	2.00	12.00

<b>INCARVILLEA Delavayi.</b> A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of <i>Bignonia graniflora</i> ; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout upright stems. 2 to 2½ ft. July. One year plants.	1.50	10.00
--	------	-------

**INULIA**

<b>ensifolia.</b> Forms a compact, symmetrical bush and in July is covered with bright yellow flowers. 1 ft.	1.50	10.00
<b>glandulosa.</b> A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread like ray petals. Excellent for cutting. 2 ft. June-July.	2.00	12.00

Per Doz. - Per 100

## IRIS GERMANICA

In the following descriptions S. denotes the erect or upper petals or standers; F. denotes the lower petals or falls.

<b>Albert Victor.</b> S. Soft blue; F. Lavender; 3½ ft.	1.50	10.00
<b>Aurea.</b> S. and F. rich chrome yellow; 2 ft.	1.50	10.00
<b>Chester Hunt.</b> S. celestial blue; F. dark marine blue, bordered pale blue; 2½ ft.	2.00	12.00
<b>Br Bernice.</b> S. Coppery bronze; F. velvety crimson; 2 ft.	2.00	12.00
<b>Gajus.</b> S. Clear yellow; S. Crimson, reticulated white and yellow, with clear yellow margin; 2 ft.	2.00	12.00
<b>Her Majesty.</b> S. rose-pink; F. bright crimson; 2½ ft.	2.00	12.00
<b>Kochii.</b> S. and F. rich claret-purple; 1½ ft.	1.50	10.00
<b>Lohengrin.</b> S. and F. soft cattleya-pink; 3 ft.	2.00	12.00
<b>Loreley.</b> S. light yellow; F. ultramarine-blue, bordered cream. 2 ft.	2.00	12.00
<b>Mme. Pacquette.</b> S. and F. bright rosy claret; 2½ ft.	1.50	10.00
<b>Pallida dalmatica.</b> S. pale lavender; F. deep lavender; 3 ft.	2.00	12.00
<b>Perfection.</b> S. light blue; F. velvety black; 2½ ft.	2.00	12.00
<b>Princess Victoria Louise.</b> S. sulphur-yellow; F. rich plum with creamy margin. 2½ ft.	2.00	12.00
<b>Queen of May.</b> S. and F. soft rose-lilac; 2½ ft.	1.25	8.00
<b>Rhein Nixe.</b> S. pure white; F. deep violet-blue with white margin; 3 ft.	2.00	12.00
<b>Wyomissing.</b> S. creamy-white, suffused delicate rose; F. deep rose with flesh-colored margin. 2 ft.	2.00	12.00

## IRIS

<b>pumila cyanea.</b> Violet-purple. 9 inches. May.	1.25	8.00
“ <b>The Bride.</b> Pure white. 9 inches. May.	1.25	8.00

## LATHYRUS (Perennial Sweet Pea)

<b>latifolius roseus.</b> A vigorous climber. Pink flowers.	1.50	10.00
---	------	-------

## LAVANDULA

<b>vera</b> (Sweet Lavender) A popular old-fashioned plant with fragrant flowers and foliage. 1½ to 2 ft. June-July.	1.50	10.00
“ <b>Munstead Variety.</b> A dwarf compact variety of the above and freer flowering. Good for edging or rock garden. 9 inches. June-July.	2.00	12.00

**LEONTOPODIUM alpinum.** (Eidelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense white



	Per Doz.	Per 100
woolly substance. 6 inches. May-June.	2.00	12.00
<b>LIATRIS</b>		
<b>pycnostachya.</b> Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-August.	1.50	10.00
<b>scariosa.</b> Deep purple. 2 to 3 ft. June-July.	1.50	10.00
<b>LINUM</b>		
<b>narbonnense.</b> Strong grower, erect habit, blue flowers all summer. 3 ft.	1.50	10.00
<b>perenne.</b> A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.	1.25	8.00
<b>LOBELLA cardinalis (Cardinal Flower)</b> A moisture loving plant. Numerous long, graceful stems bearing tubular, scarlet flowers. 3 to 4 ft. July-August.	1.50	10.00
<b>LUPINUS (Lupine)</b>		
<b>polyphyllus.</b> Strong spikes of deep blue pea shaped flowers. 3 to 4 ft. June-July.	1.50	10.00
“ <b>albus.</b> A white variety of the above.	1.50	10.00
“ <b>roseus.</b> A pink variety.	2.00	12.00
<b>LYCHNIS</b>		
<b>alpina.</b> Compact cushions of rich green leaves, studded in April and May with heads of pink flowers. 6 inches.	1.50	10.00
<b>chalcedonica.</b> (Jerusalem Cross) Strong, upright stems bearing large flat heads of glowing scarlet flowers. 2 to 3 ft. June-July.	1.25	8.00
“ <b>alba.</b> A white variety of the preceding.	1.25	8.00
<b>Viscaria splendens.</b> fl. pl. Intense crimson-scarlet double flowers. Good for cutting; very effective in electric light. 1 ft. June	2.00	12.00
<b>LYSIMACHIA nummularia.</b> A prostrate creeper studded in spring with yellow flowers. A good plant for quickly covering a damp, shady spot.	1.25	8.00
<b>LYTHRUM virgatum Rose Queen.</b> A symmetrical bush formed of numerous slender stems which are thickly covered three-quarters of their length with rosy pink flowers. 3 to 4 ft. July-September.	2.00	12.00

	Per Doz. - Per 100	
<b>MALVA</b>		
<b>moschata.</b> (Musk Mallow) Forms a branching bush about 2 ft. high and is covered throughout the summer with delicate pink flowers, 1 ½ inches in diameter. Slightly musk scented. Useful for cutting.	1.50	10.00
“ <b>alba.</b> A pure white variety of the above.	1.50	10.00
<b>NEPETA</b>		
<b>Mussini.</b> (Catmint) Silvery foliage and lavender flowers. 1 ft. May—June.	1.50	10.00
<b>NIEREMBERGIA rivularis.</b> Large, pure white, cup-shaped flowers covering a carpet of rich green foliage. 3 inches. June-October.	1.50	10.00
<b>ONOSMA (Golden Drop)</b>		
<b>stellatum.</b> A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping clusters of amber-colored, drop shaped blossoms, deliciously almond scented. It should be given a sunny, well drained position. 9 to 12 inches.	3.00	20.00
<b>PAPAVER</b>		
<b>alpinum.</b> A dainty little Alpine, native of the higher Alps. It forms tufts of finely divided, grayish leaves, and throughout summer, bears numerous cup-shaped flowers of varying shades of yellow, orange, pink, and white. 6 inches.	2.50	15.00
<b>nudicaule</b> (Iceland Poppy) Yellow, orange and white. 9 to 12 inches. May-August.	1.50	10.00
<b>orientale.</b> Scarlet flowers. 2 to 3 ft. May-June.	1.50	10.00
<b>PARDANTHUS sinensis.</b> (Blackberry Lily) Bright orange, lily-like flowers with brown purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.25	8.00
<b>PENTSTEMON</b>		
<b>barbatus Torreyi.</b> Graceful, tapering stems, covered with large tubular, scarlet flowers. 4 ft. June-August.	1.50	10.00
<b>Digitalis.</b> White, tubular flowers with purple throat. Good for cutting. 2 to 3 ft. June-July.	1.50	10.00
<b>ovatus.</b> Thick leathery leaves and spikes of blue flowers. 2 ft. June-July.	1.50	10.00
<b>pubescens.</b> Handsome spikes of purple flowers. 1 ½ ft. July.	1.50	10.00

	Per Doz.	Per 100
<b>PHLOX</b>		
<b>Albion.</b> White with faint red eye. 2½ ft.	1.25	8.00
<b>Antonin Mercier.</b> Soft lilac-blue with white center. 2 ft.	1.50	10.00
<b>Bacchante.</b> Fiery pink with crimson eye. 2 ft.	1.25	8.00
<b>B. Comte.</b> Brilliant French purple. 1½ ft.	1.50	10.00
<b>Bridesmaid.</b> White with rosy crimson eye. 2½ ft.	1.50	10.00
<b>La Vogue.</b> Rosy mauve. 2 ft.	1.25	8.00
<b>Mrs. Jenkins.</b> Pure white; large trusses. 2½ ft.	1.25	8.00
<b>Rosenberg.</b> Carmine violet with reddish eye. 2 ft.	1.50	10.00
<b>R. P. Struthers.</b> Bright rosy red with crimson eye. 2 ft.	1.25	8.00
<b>Sunshine.</b> Deep salmon rose with dark pink center. 2 ft.	1.50	10.00
<b>Thor.</b> Very large trusses of dazzling pink flowers. 2 ft.	1.50	10.00
<b>suffruticosa Miss Lingard.</b> A good variety for cutting, pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September.	1.50	10.00
<b>PHLOX, Dwarf Varieties.</b>		
<b>amoena.</b> Compact tufts of glossy green foliage and masses of vivid pink flowers in April and May. 9 inches.	1.25	8.00
<b>carolina.</b> Numerous slender stems, each terminating in a cluster of deep rose flowers. 1 ft.	1.25	8.00
<b>subulata alba</b> (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 inches.	1.25	8.00
“ <b>lilacina.</b> A lilac variety.	1.25	8.00
“ <b>rosea.</b> A pink variety.	1.25	8.00
<b>PHYSALIS</b>		
<b>Franchetti.</b> (Winter Cherry) Bright orange bladder- like calyces enclosing a cherry-like fruit. Val- uable for drying for winter decoration. 2 ft. October.	1.25	8.00
<b>PHYSOSTEGIA</b>		
<b>virginica.</b> Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July- August.	1.00	7.00
“ <b>alba.</b> A white variety of the foregoing.	1.00	7.00
“ <b>grandiflora.</b> A plant of recent introduction and most valuable acquisition. It produces		

Per Doz. - Per 100

**PHYSOSTEGIA (continued)**

numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering perennials. 1 to 1½ ft. August-September.

1.50 10.00

**PINK, Hardy.** A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June.

**Excelsior.** Delicate rose pink.

1.25 8.00

**Her Majesty.** Pure white, large flowers.

1.25 8.00

**Homer.** Deep rose with darker center.

1.25 8.00

**Juliette.** White, laced crimson.

1.25 8.00

**Lord Lyon.** Deep Rose.

1.25 8.00

**White Reserve.** Pure white.

1.25 8.00

**PLATYCODON (Balloon Flower)**

**grandiflorum.** Blue bell-shaped flowers borne on slender stems. 2 ft. June-October.

1.25 8.00

“ **album.** A white variety of the above.

1.25 8.00

**PLUMBAGO Larpentae.** (Leadwort) Forms compact tufts of innumerable wiry stems each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.

2.00 12.00

**POLEMONIUM**

**reptans.** An attractive early spring flowering plant bearing sprays of blue flowers on short stems. 9 inches. April-May.

1.50 10.00

**Richardsoni.** Blue flowers with yellow centers. 1 ft. June.

1.50 10.00

**POTENTILLA Willmottae.** A distinct and pretty rock plant with brilliant cherry red flowers. 6 inches. June-August.

2.00 12.00

**PYRETHRUM**

**roseum.** Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.

1.25 8.00

**RANUNCULUS**

**repens fl. pl.** Small double yellow flowers on branching stems. Valuable for cutting. 1 to 1½ ft. April-May.

**RUDBECKIA**

**Golden Glow.** Double, deep yellow flowers. 6 ft.  
July-September. 1.25 8.00

**SAGINA glabra.** Emerald green cushions of moss-like  
growth covered in spring with numberless small  
white flowers. 2 inches. 1.50 10.00

**SALVIA**

**argentea.** The value of this plant lies in its large sil-  
very leaves. 1.50 10.00

**azurea grandiflora.** Tall straight stems covered for  
half their length with sky-blue flowers. 4 to 5  
ft. August-October. 1.25 8.00

**pratensis.** Handsome spikes of blue flowers are con-  
tinuously produced throughout the summer.  
2 ft. 1.50 10.00

**Sclarea.** Large handsome leaves and spikes of pink  
and white flowers. 3 ft. July-August. 1.50 10.00

**SANTOLINA incana.** (Cotton Lavender) A compact  
growing half shrubby plant with silvery foli-  
age. 1 ft. 1.50 10.00

**SCABIOSA**

**caucasica.** One of the finest of hardy plants, bearing  
throughout summer a succession of large soft  
lilac flowers on long stems. 2½ ft. 2.00 12.00

“ **alba.** A white variety of the above. 2.00 12.00

**SCUTELLARIA (Skull Cap)**

**baicalensis coelestina.** Short wiry stems clothed with  
clear blue, snapdragon shaped flowers. 1 ft.  
June-August 2.00 12.00

**SEDUM**

**acre.** A dwarf grower forming a thick carpet of green  
foliage which is completely covered with yellow  
flowers in May 1.50 10.00

**album.** Small succulent leaves which turn reddish  
bronze in fall. Trusses of white flowers in  
June and July. 6 inches. 1.50 10.00

**hispanicum.** A minute plant, forming spreading tufts  
of gray foliage, becoming covered in May and  
June with small pink flowers. 4 inches. 1.50 10.00

**lydium.** Carpets of bright green foliage which turns  
reddish bronze during summer. 4 inches. 1.50 10.00

**SEDUM (continued)**

<b>obtusatum.</b> A rare and attractive stone crop. Small, round, fleshy leaves; dull green in spring but turn red in summer. Yellow flowers. 4 inches. June.	2.00	12.00
<b>sexangulare.</b> Dwarf trailer; green foliage and yellow flowers. 6 inches. June-July.	1.50	10.00
<b>stoloniferum.</b> Large clusters of pink flowers on prostrate, trailing stems. 6 inches. June-July.	1.50	10.00
<b>spectabile.</b> Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and rosy purple in color, they retain their beauty for 2 months, 1½ ft. August-September.	1.25	8.00
“ <b>atropurpureum.</b> A deeper colored variety than the preceding, being a vivid amaranth red.	1.25	8.00
<b>SIDALCEA Rose Queen.</b> Spikes of rich rosy purple flowers. 2½ ft. July-August.	2.00	12.00
<b>SILENE alpestris.</b> A dainty little rock plant of tufted habit, bearing masses of small white flowers. 4 inches. May-June.	2.00	12.00
<b>SPIRAEA Filipendula.</b> Loose clusters of creamy white white flowers tipped with red, borne on slender stems growing from tufts of fern-like foliage. 1½ to 2 ft. June-July.	2.00	12.00
<b>STACHYS lanata.</b> White woolly foliage; good plant for edging.	1.25	8.00
<b>STOKESIA</b>		
<b>cyanea.</b> A showy plant with a lengthy flowering period, large blue flowers on somewhat straggling stems. 1½ ft. August-October.	1.50	10.00
“ <b>alba.</b> A white form of the preceding.	1.50	10.00
<b>STATICE latifolia.</b> (Sea Lavender) Branching flower stems bearing countless small, blue purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½ to 2 ft. August-September.	1.50	10.00
<b>SWEET WILLIAM</b>		
<b>Newport Pink.</b>	1.00	7.00
<b>Scarlet Beauty.</b>	1.00	7.00
<b>White</b>	1.00	7.00

**THALICTRUM**

<b>adiantifolium.</b> Masses of maiden-hair like foliage. Valuable for cutting. 1 ½ ft.	1.50	10.00
<b>aquilegifolium.</b> Handsome foliage and feathery plumes of white flowers. 2 ½ ft. June-July.	2.00	12.00
<b>purpureum.</b> A lovely rose colored variety of the preceding.	2.00	12.00

**THYMUS**

<b>Serpyllum albus.</b> A fragrant, creeping rock plant quickly growing into a dense carpet, which becomes covered with white flowers in June and July.	1.50	10.00
“ <b>coccineus.</b> A scarlet flowered variety.	1.50	10.00

<b>TRITOMA Pfitzeri.</b> (Torch Lily) A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange scarlet, tubular flowers. 2 to 3 ft. September-October.	2.00	12.00
---	------	-------

<b>TUNICA saxifraga.</b> Tufts of grass-like foliage and stems bearing small rosy pink flowers. 6 inches. July-September,	1.50	10.00
---	------	-------

<b>VALERIANA officinalis.</b> A strong growing and free flowering plant bearing large heads of faint pink flowers. 3 to 4 ft. June-July.	1.50	10.00
--	------	-------

<b>VERBASCUM Harkness' Hybrid.</b> Spikes of yellow flowers. 3 ft.	1.50	10.00
--	------	-------

**VERONICA**

<b>incana.</b> Compact masses of silvery gray foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
--	------	-------

<b>repens.</b> Carpet of evergreen foliage entirely covered in spring with very pale blue flowers. 3 inches.	1.50	10.00
--	------	-------

<b>rupestris.</b> A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers. 6 inches.	1.50	10.00
--	------	-------

<b>spicata.</b> Spikes of blue flowers. 2 ft. June-August.	1.50	10.00
--	------	-------

<b>subsessillis.</b> Stout erect stems of intense blue flowers. 2 to 3 ft. July-August.	2.00	12.00
---	------	-------

<b>Teucrium.</b> The stems form spreading masses, covered in May and June with dense racemes of bright blue flowers. 1 ft.	1.50	10.00
--	------	-------

---

<b>VIOLA pedata.</b> (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 inches. April-May.	1.50	10.00
<b>WULFENIA carinthiaca.</b> A rare plant for the rock garden. Glossy, deep green leaves and handsome spikes of rich blue flowers. 9 to 12 inches. July.	3.50	
<b>YUCCA filamentosa.</b> (Adam's Needle) Large rosettes of sword-like leaves and spikes of white flowers. 6 to 8 ft. July. Two year plants.	1.25	8.00





